



# TOPAZ



## TZDL 55

### BOPP and Metalised film - Dry Lamination Adhesive

#### Description:

Topaz TZDL 55 is Water Based Acrylic Emulsion (Copolymer) developed for BOPP and Metalised film dry lamination.

#### Characteristics:

Appearance	: Milky White
Solid content	: 50% ( $\pm 2\%$ )
Viscosity	: 15 – 19 Sec (by ford cup b/4)
pH	: 7 - 9
Film Properties	: Clear and Transparent, Tacky

#### Applications:

Topaz TZDL 55 is water based acrylic adhesive having excellent bond strength mainly designed for Lamination of film (PET or BOPP) and metalized

film to paper / Duplex board for Offset industries. Successive operant and can be carried out without no down time.

#### Note:

- 1) It is advised to close the lid after removing the adhesive from the drum to avoid skin formation and contamination.
- 2) If dilution is required then only softened or DM/RO & bacteria free water should be used.
- 3) If there is skin formation, then adhesive is to be used after removal of skin and manual stirring for few minutes.

**Stability:** Topaz TZDL 55 has a long shelf life of 6 months provided it is stored in cool/shady place.

**Packing:** Topaz TZDL 55 is available in 25 Kg /50 Kg HDPE Drums

## Kapoor Imaging Pvt. Ltd.

3, Masilamani Road, Balaji Nagar, Royapettah  
Chennai - 600 014, INDIA  
Phone : +91 44 4347 1000, Fax : +91 44 4347 1020  
Email : sales@kapoorimaging.com  
Website : www.kapoorimaging.com

Distributor